

TRAILER REAR CENTER TRACTOR

Rear-Mounted Boom Truck

QMC rear-mounted boom trucks offer the easiest maneuvering in challenging locations and unencumbered access to setting loads closest to jobsites.

Designed for delivery and placement of heavy and bulky loads, these cranes are a staple for industries ranging from precast concrete to electrical utilities. With lifting capacities from 40,000 to 90,000 pounds, the rear-mounted boom truck provides the best use of overall unit weight to enhance stability while lifting.



Highlights

- ▶ Crane mounting over rear outriggers minimizes structural

flex, while providing the greatest rigidity and stability of operating platform.

- ▶ Increases over rear work area definition for greater productivity and structural zone inside tipping area to boost operator confidence.

READ MORE ▶

4033R



4037R



4055R



4070R



Why QMC

[Products](#) [Industries](#) [Contact](#)

[News](#)

[Parts Shop](#)

sections

CAPACITY @ 10 FT.

39,400 LBS

[Specifications](#) |

sections

CAPACITY @ 10 FT.

40,000 LBS

[Specifications](#) |

sections

CAPACITY @ 10 FT.

41,000 LBS

[Specifications](#) |

sections

CAPACITY @ 10 FT.

40,000 LBS

[Specifications](#) |

[Request a Quote](#)

[Request a Quote](#)

[Request a Quote](#)

[Request a Quote](#)

5034R



BOOM LENGTH

23' - 34' 2
sections

CAPACITY @ 10 FT.

49,800 LBS

[Specifications](#) |

[Request a Quote](#)

5037R



BOOM LENGTH

23' - 37' 2
sections

CAPACITY @ 10 FT.

49,700 LBS

[Specifications](#) |

[Request a Quote](#)

5056R



BOOM LENGTH

25' - 56' 3
sections

CAPACITY @ 10 FT.

48,280 LBS

[Specifications](#) |

[Request a Quote](#)

70100R



BOOM LENGTH

33' - 100' 4
sections

CAPACITY @ 10 FT.

69,030 LBS

[Specifications](#) |

[Request a Quote](#)

8060R



BOOM LENGTH

38' - 60' 2
sections

CAPACITY @ 10

FT.
94,300 LBS

Specifications |

Request a Quote

At a Glance



©2024, QMC Building Cranes, All Rights Reserved |
450 E. Glendale Ave. Sparks, NV 89431

+ 1 775 507 5356 | info@qmccranes.com | parts@qmccranes.com | Support

